Applicant: Hisashi Ohtani

Serial No.: 09/389,393 Filed: September 3, 1999

Page : 3 of 15

Attorney's Docket No.: 07977-204002 / US3480D1

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

- 1. (Currently Amended) A semiconductor device comprising:
- a first conductive layer over an insulating surface;
- a second conductive layer on said first conductive layer wherein a width of the second conductive layer is narrower than that of the first conductive layer;

an insulating film over the second conductive layer;

a semiconductor region over the insulating film, the semiconductor region comprising a source region, a drain region, a channel region, and a pair of regions between the channel region and the source and drain regions, said pair of regions formed of a same material as said channel region wherein each of said pair of regions has a first portion contiguous to the channel region and a second portion contiguous to the source or drain regions;

a gate insulating film formed over said semiconductor region;

a first conductive layer formed over the channel region with the gate insulating film interposed therebetween; and

a second conductive layer formed on said first conductive layer wherein a width of the first conductive layer is narrower than that of the second conductive layer;

wherein the second <u>first</u> conductive layer extends beyond side edges of the <u>first second</u> conductive layer and extending portions of the second <u>first</u> conductive layer overlap the first portions of said pair of regions while the second portions are not overlapped by said second <u>first</u> conductive layer.

- 44. (Currently Amended) A semiconductor device comprising:
- a first conductive layer over an insulating surface;
- a second conductive layer on said first conductive layer wherein a width of the second conductive layer is narrower than that of the first conductive layer;

Attorney's Docket No.: 07977-204002 / US3480D1

Applicant: Hisashi Ohtani Serial No.: 09/389,393

Filed: September 3, 1999

Page : 4 of 15

an insulating film over the second conductive layer;

a semiconductor film region over the insulating film, the semiconductor region comprising a source region, a drain region, a channel region formed on an insulating surface, and a pair of regions between the channel region and the source and drain regions, said pair of regions formed of a same material as said channel region wherein each of said pair of regions has a first portion contiguous to the channel region and a second portion contiguous to the source or drain regions;

a gate insulating film formed over the semiconductor region;

a first conductive layer formed over the channel region with the gate insulating film interposed therebetween; and

a second conductive layer formed on the first conductive layer wherein a width of the first conductive layer is narrower than that of the second conductive layer,

wherein the second <u>first</u> conductive layer extends beyond side edges of the <u>first second</u> conductive layer and extending portions of the second <u>first</u> conductive layer overlap the first portions of said pair of regions while the second portions are not overlapped by said second <u>first</u> conductive layer, and

wherein the first conductive layer and the second conductive layer are different material each other.

- 45. (Currently Amended) A semiconductor device comprising:
- a first conductive layer over an insulating surface;
- a second conductive layer on said first conductive layer wherein a width of the second conductive layer is narrower than that of the first conductive layer;

an insulating film over the second conductive layer;

a semiconductor region <u>over the insulating film</u>, the <u>semiconductor region</u> comprising a source region, a drain region, a channel region, and a pair of regions between the channel region and the source and drain regions, said pair of regions formed of a same material as said channel

Ø]007

Applicant: Hisashi Ohtani Serial No.: 09/389,393

Filed: September 3, 1999

Page : 5 of 15

Attorney's Docket No.: 07977-204002 / US3480D1

region wherein each of said pair of regions has a first portion contiguous to the channel region and a second portion contiguous to the source or drain regions;

a gate insulating film formed over the semiconductor region;

a first conductive layer formed over the channel region with the gate insulating film interposed therebetween; and

a second conductive layer formed on the first conductive layer wherein a width of the first conductive layer is narrower than that of the second conductive layer,

wherein the second <u>first</u> conductive layer extends beyond side edges of the first second conductive layer and extending portions of the second <u>first</u> conductive layer overlap the first portions of said pair of regions while the second portions are not overlapped by said second <u>first</u> conductive layer, and

wherein a distance between the first portion and the source or drain region is larger than a thickness of the first second conductive layer.

- 46. (Currently Amended) A semiconductor device comprising:
- a first conductive layer over an insulating surface;
- a second conductive layer on said first conductive layer wherein a width of the second conductive layer is narrower than that of the first conductive layer;

an insulating film over the second conductive layer;

a semiconductor film region over the insulating film, the semiconductor region comprising a source region, a drain region, a channel region formed on an insulating surface, and a pair of regions between the channel region and the source and drain regions, said pair of regions formed of a same material as said channel region wherein each of said pair of regions has a first portion contiguous to the channel region and a second portion contiguous to the source or drain regions;

a gate insulating film formed over the semiconductor region;

a first conductive layer formed over the channel region with the gate insulating film interposed therebetween; and

4]008

Applicant: Hisashi Ohtani Serial No.: 09/389,393

Filed: September 3, 1999

Page : 6 of 15

Attorney's Docket No.: 07977-204002 / US3480D1

a second conductive layer formed on the first conductive layer wherein a width of the first conductive layer is narrower than that of the second conductive layer,

wherein the second <u>first</u> conductive layer extends beyond side edges of the <u>first second</u> conductive layer and extending portions of the second <u>first</u> conductive layer overlap the first portions of said pair of regions while the second portions are not overlapped by said second <u>first</u> conductive layer, and

wherein a distance between the first portion and the source or drain region is larger than a thickness of the first conductive layer.

- 47. (Currently Amended) A semiconductor device comprising:
- a first conductive layer over an insulating surface;
- a second conductive layer on said first conductive layer wherein a width of the second conductive layer is narrower than that of the first conductive layer;

an insulating film over the second conductive layer;

a semiconductor region over the insulating film, the semiconductor region comprising a source region, a drain region, a channel region, and a pair of regions between the channel region and the source and drain regions, said pair of regions formed of a same material as said channel region wherein each of said pair of regions has a first portion contiguous to the channel region and a second portion contiguous to the source or drain regions;

- a gate insulating film formed over the semiconductor region;
- a first conductive layer formed over the channel region with the gate insulating film interposed therebetween; and

a second conductive layer formed on the first conductive layer wherein a width of the first conductive layer is narrower than that of the second conductive layer,

wherein the second <u>first</u> conductive layer extends beyond side edges of the <u>first second</u> conductive layer and extending portions of the second <u>first</u> conductive layer overlap the first portions of said pair of regions while the second portions are not overlapped by said second <u>first</u> conductive layer, and

Attorney's Docket No.: 07977-204002 / US3480D1

Applicant: Hisashi Ohtani Serial No.: 09/389,393

Filed: September 3, 1999

Page : 7 of 15

wherein a distance between the first portion and the source or drain region is equal to or less than a thickness of the first second conductive layer.

48. (Currently Amended) A semiconductor device comprising:

a first conductive layer over an insulating surface;

a second conductive layer on said first conductive layer wherein a width of the second conductive layer is narrower than that of the first conductive layer;

an insulating film over the second conductive layer;

a semiconductor film region over the insulating film, the semiconductor region comprising a source region, a drain region, a channel region formed on an insulating surface, and a pair of regions between the channel region and the source and drain regions, said pair of regions formed of a same material as said channel region wherein each of said pair of regions has a first portion contiguous to the channel region and a second portion contiguous to the source or drain regions;

a gate insulating film formed over the semiconductor region;

a first conductive layer formed over the channel region with the gate insulating film interposed therebetween; and

a-second conductive layer formed on the first conductive layer wherein a width of the first conductive layer is narrower than that of the second conductive layer,

wherein the second <u>first</u> conductive layer extends beyond side edges of the <u>first second</u> conductive layer and extending portions of the second <u>first</u> conductive layer overlap the first portions of said pair of regions while the second portions are not overlapped by said second <u>first</u> conductive layer, and

wherein a distance between the first portion and the source or drain region is equal to or less than a thickness of the first second conductive layer.

49. (Previously presented) A semiconductor device according to claim 1,

Attorney's Docket No.: 07977-204002 / US3480D1

Applicant: Hisashi Ohtani Serial No.: 09/389,393

Filed: September 3, 1999

Page : 8 of 15

wherein a anodic oxide layer is formed on at least side surface of the first conductive layer and side surface of the second conductive layer.

- 50. (Previously presented) A semiconductor device according to claim 44, wherein a anodic oxide layer is formed on at least side surface of the first conductive layer and side surface of the second conductive layer.
- 51. (Previously presented) A semiconductor device according to claim 45, wherein an anodic oxide layer is formed on at least side surfaces of the first conductive layer and side surfaces of the second conductive layer.
- 52. (Previously presented) A semiconductor device according to claim 46, wherein an anodic oxide layer is formed on at least side surfaces of the first conductive layer and side surfaces of the second conductive layer.
- 53. (Previously presented) A semiconductor device according to claim 47, wherein an anodic oxide layer is formed on at least side surfaces of the first conductive layer and side surfaces of the second conductive layer.
- 54. (Previously presented) A semiconductor device according to claim 48, wherein an anodic oxide layer is formed on at least side surfaces of the first conductive layer and side surfaces of the second conductive layer.
- 55. (Previously presented) A semiconductor device according to claims 1, wherein each of the first and second conductive layers comprises a material selected from the group consisting of molybdenum, tantalum, aluminum, chromium, nickel, zirconium, titanium, palladium, silver, copper, and cobalt.

Applicant: Hisashi Ohtani Attorney's Docket No.: 07977-204002 / US3480D1

Serial No.: 09/389,393 Filed: September 3, 1999

Page : 9 of 15

56. (Previously presented) A semiconductor device according to claims 44, wherein each of the first and second conductive layers comprises a material selected from the group consisting of molybdenum, tantalum, aluminum, chromium, nickel, zirconium, titanium, palladium, silver, copper, and cobalt.

- 57. (Previously presented) A semiconductor device according to claims 45, wherein each of the first and second conductive layers comprises a material selected from the group consisting of molybdenum, tantalum, aluminum, chromium, nickel, zirconium, titanium, palladium, silver, copper, and cobalt.
- 58. (Previously presented) A semiconductor device according to claims 46, wherein each of the first and second conductive layers comprises a material selected from the group consisting of molybdenum, tantalum, aluminum, chromium, nickel, zirconium, titanium, palladium, silver, copper, and cobalt.
- 59. (Previously presented) A semiconductor device according to claims 47, wherein each of the first and second conductive layers comprises a material selected from the group consisting of molybdenum, tantalum, aluminum, chromium, nickel, zirconium, titanium, palladium, silver, copper, and cobalt.
- 60. (Previously presented) A semiconductor device according to claims 48, wherein each of the first and second conductive layers comprises a material selected from the group consisting of molybdenum, tantalum, aluminum, chromium, nickel, zirconium, titanium, palladium, silver, copper, and cobalt.
- 61. (Previously presented) A semiconductor device according to claim 1, wherein a distance between the first portion and the source or drain region is 500. to 1000...

Attorney's Docket No.: 07977-204002 / US3480D1

Applicant: Hisashi Ohtani

Serial No.: 09/389,393

Filed: September 3, 1999

Page : 10 of 15

- 62. (Previously presented) A semiconductor device according to claim 44, wherein a distance between the first portion and the source or drain region is 500. to 1000..
- 63. (Previously presented) A semiconductor device according to claim 45, wherein a distance between the first portion and the source or drain region is 500. to 1000..
- 64. (Previously presented) A semiconductor device according to claim 46, wherein a distance between the first portion and the source or drain region is 500. to 1000...
- 65. (Previously presented) A semiconductor device according to claim 47, wherein a distance between the first portion and the source or drain region is 500. to 1000...
- 66. (Previously presented) A semiconductor device according to claim 48, wherein a distance between the first portion and the source or drain region is 500. to 1000...
- 67. (Currently Amended) A semiconductor device according to claim 1, wherein said gate insulating film comprises silicon oxide.
- 68. (Currently Amended) A semiconductor device according to claim 44, wherein said gate insulating film comprises silicon oxide.

Attorney's Docket No.: 07977-204002 / US3480D1

Applicant: Hisashi Ohtani

Serial No.: 09/389,393

Filed Page

: September 3, 1999 : 11 of 15

gate insulating film comprises silicon oxide.

69. (Currently Amended) A semiconductor device according to claim 45, wherein said

- 70. (Currently Amended) A semiconductor device according to claim 46, wherein said gate insulating film comprises silicon oxide.
- 71. (Currently Amended) A semiconductor device according to claim 47, wherein said gate insulating film comprises silicon oxide.
- 72. (Currently Amended) A semiconductor device according to claim 48, wherein said gate insulating film comprises silicon oxide.
- 73. (Currently Amended) A semiconductor device according to claim 1, wherein said first second conductive layer comprises tantalum and said second first conductive layer comprises aluminum.
- 74. (Currently Amended) A semiconductor device according to claim 44, wherein said first second conductive layer comprises tantalum and said second first conductive layer comprises aluminum.
- 75. (Currently Amended) A semiconductor device according to claim 45, wherein said first second conductive layer comprises tantalum and said second first conductive layer comprises aluminum.
- 76. (Currently Amended) A semiconductor device according to claim 46, wherein said first second conductive layer comprises tantalum and said second first conductive layer comprises aluminum.

Attorney's Docket No.: 07977-204002 / US3480D1

Applicant: Hisashi Ohtani

Serial No.: 09/389,393

: September 3, 1999

Filed Page

: 12 of 15

77. (Currently Amended) A semiconductor device according to claim 47, wherein said first second conductive layer comprises tantalum and said second first conductive layer comprises aluminum.

- 78. (Currently Amended) A semiconductor device according to claim 48, wherein said first second conductive layer comprises tantalum and said second first conductive layer comprises aluminum.
- 79. (Previously presented) A semiconductor device according to claim 1, wherein the semiconductor region comprises crystalline silicon.
- 80. (Previously presented) A semiconductor device according to claim 44, wherein the semiconductor film comprises crystalline silicon.
- 81. (Previously presented) A semiconductor device according to claim 45, wherein the semiconductor region comprises crystalline silicon.
- 82. (Previously presented) A semiconductor device according to claim 46, wherein the semiconductor film comprises crystalline silicon.
- 83. (Previously presented) A semiconductor device according to claim 47, wherein the semiconductor region comprises crystalline silicon.
- 84. (Previously presented) A semiconductor device according to claim 48, wherein the semiconductor film comprises crystalline silicon.